

ORIGINAL RESEARCH ARTICLE

Article DOI: [10.68295/SRJ/PRHE4772](https://doi.org/10.68295/SRJ/PRHE4772)Article URL: <https://doi.org/10.68295/SRJ/PRHE4772>

URBAN WASTE MANAGEMENT AND ENVIRONMENTAL SUSTAINABILITY IN DEVELOPING COUNTRIES: A CONCEPTUAL REVIEW

Yacine Benali

Department of Environmental Sciences, University of Algiers

MANUSCRIPT INFO

Received: 28 July 2026
Revised: 24 Aug 2026
Final Accepted: 20 Sep 2026
Published: 22 Sep 2026

KEYWORDS

urban waste management; environmental sustainability; municipal solid waste; recycling; circular economy; developing countries

ABSTRACT

Rapid urbanisation, population growth, and changing consumption patterns have increased the quantity and complexity of municipal solid waste in many developing countries. When waste collection, segregation, recycling, and final disposal systems do not keep pace with this growth, waste can contribute to soil and water contamination, air pollution, greenhouse-gas emissions, blocked drainage, and public-health risks. This conceptual review examines the relationship between urban waste management and environmental sustainability, with particular attention to the institutional, infrastructural, economic, and behavioural factors that shape local outcomes. Drawing on established literature and international waste-management guidance, the paper discusses the limitations of disposal-centred approaches and considers the potential of integrated systems that prioritise waste prevention, reuse, source separation, recycling, biological treatment, and the safe management of residual waste. It proposes a framework in which environmental performance depends on the interaction of collection and treatment infrastructure with governance, financing, public participation, and access to appropriate technology. The review argues that no single intervention is sufficient: recycling initiatives, for example, are unlikely to deliver sustained benefits without reliable collection, markets for recovered materials, worker protections, and public trust. Local authorities can strengthen outcomes by improving waste data, clarifying responsibilities, supporting inclusive recycling systems, and evaluating programmes against measurable environmental and service indicators. As a conceptual review, this paper does not present original field data or claim causal effects. The framework is intended to guide future empirical research and help practitioners identify the complementary measures required for more sustainable urban waste systems.

Corresponding Author: Yacine Benali

Department of Environmental Sciences, University of Algiers

1. Introduction

Municipal solid waste management is a basic urban service with direct implications for environmental quality, public health, and the efficient use of resources. Cities generate diverse waste streams, including food and garden waste, paper, plastics, glass, metals, textiles, and household hazardous materials. The amount and composition of waste vary with income, consumption, population density, commercial activity, and local infrastructure. In rapidly growing urban areas, service expansion can lag behind waste generation, leaving some neighbourhoods dependent on irregular collection or informal disposal.

Poorly managed waste can contaminate land and waterways, create smoke and toxic emissions when burned in the open, and obstruct drainage channels. Organic waste decomposing under anaerobic conditions in disposal sites can also produce methane, a potent greenhouse gas. Conversely, well-designed systems can recover materials, reduce pressure on landfills, improve neighbourhood cleanliness, and create livelihoods across collection, repair, reuse, and recycling activities. Waste management should therefore be understood not only as a disposal problem but also as a resource-management and governance challenge.

This paper offers a conceptual review of the main factors connecting urban waste-management practices with environmental sustainability. It aims to: (1) identify major environmental consequences associated with inadequate waste services; (2) examine the roles of infrastructure, governance, financing, and public participation; and (3) propose an integrated framework to inform practice and future research.

2. Review Approach and Conceptual Scope

This article is a narrative conceptual review rather than a systematic review or an empirical investigation. It synthesises established publications on municipal solid waste, the waste hierarchy, circular-economy principles, and international waste-management guidance. The discussion is organised around recurring themes relevant to urban systems: waste generation and prevention, collection and separation, recovery and treatment, final disposal, and the enabling conditions required for implementation. No original survey, interview, or city-level dataset was collected for this paper; consequently, the framework should be treated as a proposition for further testing rather than a validated predictive model.

3. Environmental Implications of Inadequate Waste Management

3.1 Soil and water contamination

Uncontrolled dumping can expose surrounding land to mixed waste and allow contaminated runoff to reach drains, streams, and groundwater. The risks depend on the composition of waste, site conditions, rainfall, and the presence or absence of containment and leachate treatment. Plastics and other persistent materials can remain in the environment for long periods, fragment into smaller particles, and move through terrestrial and aquatic systems. Preventing uncontrolled disposal and ensuring that hazardous household materials are handled separately are important elements of risk reduction.

3.2 Air pollution and climate impacts

Open burning of mixed waste releases particulate matter and other harmful pollutants, while poorly controlled disposal of organic waste can generate methane. Transport and treatment can also use energy and produce emissions, so the environmental performance of a waste system depends on the full chain rather than one activity alone. Preventing avoidable waste, diverting suitable organic materials to controlled biological treatment, and improving landfill management can contribute to lower emissions when these options are appropriately designed and operated.

3.3 Public space and community wellbeing

Overflowing bins and irregular collection affect the usability of streets and public spaces and may attract pests or contribute to blocked drainage. These impacts are often unevenly distributed: communities with limited services can experience a greater burden from illegal dumping and burning. Service planning should therefore consider both citywide efficiency and the fair distribution of collection, transfer, and treatment facilities.

4. Pathways Towards Sustainable Urban Waste Management

4.1 Prevention and the waste hierarchy

The waste hierarchy places prevention and reduction above reuse, recycling, recovery, and disposal. Prevention can include reducing unnecessary packaging, extending product life, supporting repair, and improving procurement practices. Reuse and recycling can conserve materials, but their benefits depend on product design, contamination levels, collection efficiency, and the availability of markets for recovered materials. A hierarchy provides a useful direction for policy, while local decisions still require consideration of environmental impacts, costs, and practical capacity.

4.2 Source separation and collection reliability

Separating waste at the point of generation can improve the quality of recovered materials and reduce contamination in recycling and composting streams. However, separation programmes lose credibility when different waste categories are later mixed or when collection is unreliable. Authorities should align household instructions, container systems, collection schedules, transfer facilities, and downstream processing capacity. Clear communication and accessible collection options are especially important in dense settlements and areas with limited storage space.

4.3 Recycling, organic waste, and safe residual disposal

Recycling systems can recover paper, metals, glass, and selected plastics, while food and green waste may be suitable for composting or anaerobic digestion where feedstock quality and operational controls are adequate. Informal waste pickers often contribute to material recovery and should not be overlooked in formalisation efforts. Inclusive approaches can improve occupational safety, access to protective equipment, and income stability. Materials that cannot be prevented, reused, or safely recovered still require controlled treatment and disposal, including safeguards for leachate, gas, fires, and site closure.

5. Governance, Finance, and Public Participation

Technological options alone cannot ensure sustainable outcomes. Waste services require clearly assigned institutional responsibilities, stable financing, trained personnel, transparent procurement, and monitoring. Where responsibilities are divided among municipal agencies, contractors, and regional authorities, coordination gaps can undermine service continuity. Cost recovery mechanisms should be designed carefully so that affordability and access are not compromised for low-income households.

Public participation influences whether households separate waste, reduce avoidable consumption, use collection points correctly, and report service failures. Awareness campaigns are most effective when practical behaviour is supported by convenient infrastructure and consistent service. Schools, universities, community organisations, businesses, and local media can help explain waste prevention and safe handling, but engagement should be ongoing rather than limited to occasional campaigns. Waste workers, including informal collectors, should be included in consultations because they possess practical knowledge of material flows and service barriers.

6. Proposed Conceptual Framework

The framework in Figure 1 presents sustainable urban waste management as a connected system. Waste generation and consumption patterns influence the volume and composition of material entering the system. Collection and sorting determine how much material can be recovered without contamination; treatment and disposal practices influence the environmental effects of residual waste. These operational stages are shaped by three enabling conditions: public awareness and participation, local governance and financing, and access to suitable infrastructure and technology. The framework suggests that environmental improvement is most likely when operational measures and enabling conditions are developed together.

Conceptual framework for sustainable urban waste management




Figure 1. Conceptual framework linking urban waste-management stages and enabling conditions.

7. Practical Implications and Research Agenda

Municipal authorities can begin by establishing a reliable baseline of waste quantity, composition, collection coverage, recovery rates, disposal practices, and service costs. Data should be disaggregated by neighbourhood where feasible, since citywide averages can conceal service gaps. Pilot programmes can then test source separation, composting, recycling partnerships, or improved collection routes before expansion. Monitoring should include environmental and service indicators, such as the share of waste collected safely, contamination in separated streams, the quantity diverted from disposal, complaints resolved, and worker safety.

Future research could compare neighbourhoods or cities with different governance and service arrangements, examine household participation over time, and assess the costs and environmental performance of alternative treatment options. Mixed-method studies could combine waste audits and service records with interviews involving residents, municipal staff, recyclers, and waste workers. Such research would help test whether the proposed framework captures the factors most strongly associated with improved outcomes in different local contexts.

8. Implementation Challenges and Context-Sensitive Solutions

Although integrated waste-management principles are widely discussed, implementation is constrained by local financial, institutional, spatial, and social conditions. Municipal authorities may have limited revenue, incomplete data, ageing vehicles, insufficient transfer stations, or inadequate access to engineered disposal sites. These constraints can make a technically attractive option difficult to operate consistently. Planning should therefore begin with an assessment of the existing service chain and the capacity to maintain it, rather than selecting a technology solely because it has been successful elsewhere.

One recurring challenge is the mismatch between the complexity of proposed programmes and the capacity available to deliver them. Separate collection, for example, requires containers, route planning, public communication, sorting facilities, and a dependable destination for each stream. If any link fails, residents may lose confidence and revert to mixed disposal. Incremental implementation can reduce this risk: authorities can begin in selected neighbourhoods, monitor service reliability and contamination, revise collection arrangements, and expand only when downstream capacity is ready.

Another challenge concerns land availability and community acceptance. Treatment and disposal facilities may be opposed when residents are concerned about odour, traffic, pollution, or unequal distribution of environmental burdens. Transparent site selection, early consultation, public reporting, and enforceable environmental safeguards can improve accountability. Consultation should be meaningful and should not replace technical assessment; rather, community concerns and environmental evidence should inform the design and oversight of facilities.

Solutions must be adapted to settlement form and local waste composition. Dense urban neighbourhoods may require smaller collection vehicles, shared drop-off points, or more frequent collection, whereas lower-density areas may require different routing and storage arrangements. Where organic material represents a substantial portion of the waste stream, composting or anaerobic digestion may be worth evaluating, provided that contamination control and a realistic use for the output are secured. Local waste audits can help avoid investment in systems that do not match the materials actually generated.

9. Monitoring, Indicators, and Accountability

Performance measurement is necessary to determine whether a waste-management programme is improving environmental conditions or merely shifting waste from one location to another. A monitoring system should use indicators that are clearly defined, consistently measured, and understandable to decision-makers and the public. Useful measures may include collection coverage, collection frequency, the proportion of waste delivered to controlled facilities, material recovery rates, contamination in separated streams, reported open dumping, and complaints resolved within a stated period.

Environmental indicators should be paired with operational and social indicators. Operational measures can include vehicle availability, missed collections, service costs, and the reliability of treatment facilities. Social measures may examine whether low-income neighbourhoods receive comparable service, whether workers have access to protective equipment, and whether residents can report problems through accessible channels. Using multiple indicators helps prevent a narrow focus on tonnage collected or recycling rates from concealing other weaknesses.

Data quality should be treated as a core management issue. Estimates based only on vehicle counts or facility records may be incomplete if informal recovery, unrecorded dumping, or seasonal changes are not considered. Waste composition audits, transparent reporting methods, and periodic independent checks can improve confidence in reported results. Where resources are limited, authorities can start with a small number of robust indicators and improve coverage over time rather than collecting large amounts of data that cannot be maintained.

Accountability also depends on publishing results and linking them to corrective action. If collection coverage is low in a particular area, the response might involve route redesign, additional containers, revised contractor requirements, or targeted communication. If recycling contamination is high, the response may require clearer instructions and better sorting arrangements. Monitoring is most valuable when results lead to decisions, budgets, and measurable follow-up.

10. Economic and Social Dimensions of the Circular Economy

A circular-economy approach seeks to keep products and materials in use for as long as practical and to reduce avoidable resource loss. In waste management, this perspective encourages prevention, repair, reuse, remanufacturing, and high-quality recycling before final disposal. The transition is not achieved by recycling alone: product design, procurement, packaging choices, consumer behaviour, and markets for secondary materials all influence whether resources can remain in productive use.

Economic feasibility should be assessed across the life of a programme. Initial equipment costs may be visible, while expenses for maintenance, fuel, staff, education, replacement parts, and monitoring are less obvious. A facility that cannot be operated reliably may deliver fewer benefits than a simpler system that can be maintained. Cost comparisons should consider avoided disposal, potential material revenue, environmental safeguards, transport distances, and the quality of recovered outputs. Revenue from recyclables can fluctuate, so essential public services should not depend entirely on unstable commodity prices.

The social dimension is equally important. Informal waste collectors and recyclers often recover valuable materials and provide services that formal systems do not fully cover. Policies that exclude these workers can disrupt livelihoods and may reduce recovery unless viable alternatives are created. Inclusive arrangements can involve consultation, cooperatives, contracts, access to sorting areas, protective equipment, and safer working conditions. Such measures should be designed with workers rather than imposed without considering their existing knowledge and economic circumstances.

Employment benefits should be described cautiously. Recycling and treatment activities can create jobs, but the number and quality of jobs depend on technology, labour standards, market demand, and the scale of operations. A sustainable programme should evaluate wages, occupational safety, training, and job stability alongside environmental results. The circular economy is most credible when resource efficiency is pursued together with decent work and fair access to services.

11. Education, Behaviour, and Institutional Partnerships

Household and business behaviour affects the quality and quantity of waste entering municipal systems. People may be willing to separate waste but unable to do so if containers are unavailable, instructions are unclear, or collection practices are inconsistent. Behavioural initiatives should therefore combine understandable messages with convenient systems and visible evidence that separated materials are managed appropriately. Repeated communication, feedback, and engagement with local organisations can be more useful than one-off awareness events.

Educational institutions can support waste prevention through procurement standards, reusable materials, classroom activities, waste audits, and student-led projects. Universities may also provide spaces for applied research, pilot programmes, and evaluation. These activities are most effective when responsibilities are assigned and results are measured. A campus programme, for example, should identify who maintains collection points, how contamination is handled, and where collected materials go after pickup.

Businesses influence packaging, product durability, distribution, and take-back opportunities. Partnerships between municipalities, retailers, producers, recyclers, and community organisations can improve collection and recovery when roles are clear and outcomes are transparent. Producer responsibility schemes may help finance the management of certain products or packaging, but their effectiveness depends on suitable regulation, reporting, enforcement, and the availability of collection and treatment infrastructure.

Public communication should avoid blaming households for systemic failures. Residents cannot sort materials effectively when services mix them later, and workers cannot maintain safe practices without equipment and training. A shared-responsibility approach recognises the roles of producers, consumers, service providers, and government. It also provides a basis for communicating practical actions while maintaining institutional accountability.

12. Propositions for Future Empirical Research

The conceptual framework developed in this paper can be translated into propositions for empirical study. First, more reliable collection and source-separation systems may be associated with lower levels of uncontrolled dumping where treatment and recovery options are available. Second, public participation may be stronger when collection services are predictable and residents can see that separated materials are handled as promised. Third, governance capacity and stable financing may influence whether infrastructure investments continue to deliver results after the initial implementation period.

These propositions should not be treated as established causal findings. Researchers could test them using comparative case studies, household surveys, waste composition audits, administrative service records, and interviews with residents, municipal officials, businesses, and waste workers. Longitudinal designs would be useful for distinguishing temporary changes after a campaign from

sustained changes in waste practices. Where feasible, studies could compare similar neighbourhoods before and after a clearly defined intervention, while documenting other changes that might affect the results.

Future studies should also report limitations transparently. Differences in local regulations, income, settlement density, collection arrangements, and waste composition can limit the transferability of findings between cities. Definitions of recycling, recovery, and collection coverage should be stated clearly to allow comparison. By using transparent methods and context-sensitive indicators, research can help policymakers choose interventions that are both environmentally beneficial and operationally realistic.

13. Conclusion

Urban waste management is closely linked to environmental sustainability because the collection, treatment, and disposal of waste affect land, water, air quality, climate emissions, and the liveability of public spaces. Moving beyond a disposal-centred approach requires coordinated attention to prevention, reuse, source separation, recycling, biological treatment, and the safe management of residual waste. These operational measures depend on reliable infrastructure, capable institutions, adequate financing, public participation, and fair working conditions for those involved in material recovery. The conceptual framework presented here emphasises that sustainable outcomes arise from the interaction of these elements rather than from a single technology or awareness campaign. Its propositions should be evaluated through empirical research using transparent indicators and locally appropriate methods.

References

1. Guerrero, L. A., Maas, G., & Hogland, W. (2013). Solid waste management challenges for cities in developing countries. *Waste Management*, 33(1), 220–232. <https://doi.org/10.1016/j.wasman.2012.09.008>
2. Hoornweg, D., & Bhada-Tata, P. (2012). *What a Waste: A Global Review of Solid Waste Management*. World Bank. <https://openknowledge.worldbank.org/handle/10986/17388>
3. Kaza, S., Yao, L., Bhada-Tata, P., & Van Woerden, F. (2018). *What a Waste 2.0: A Global Snapshot of Solid Waste Management to 2050*. World Bank. <https://doi.org/10.1596/978-1-4648-1329-0>
4. United Nations Environment Programme. (2015). *Global Waste Management Outlook*. UNEP. <https://www.unep.org/resources/report/global-waste-management-outlook>
5. Wilson, D. C., Rodic, L., Scheinberg, A., Velis, C. A., & Alabaster, G. (2012). Comparative analysis of solid waste management in 20 cities. *Waste Management & Research*, 30(3), 237–254. <https://doi.org/10.1177/0734242X12437569>